


Vibia presents a pendant lamp where the light source is invisible, emanating directly from the material. The light is equipped with a counterweight placed on the ground with a cable with plug for this reason it is not necessary to have a light point on the ceiling.

Model Sheet



Optional : Extra cable length
Min. quantity, upcharge and extra lead time apply [EN]


Finish	18 Graphite ADAPTA RF 9913 WX
LED temperature color	3000 K
Dimming	Sensor
Installation type	Surface Canopy
Materials	Profile: Aluminum Diffuser: Borosilicate glass
Light source	1 x LED STRIP 24V 20W G
LED	CRI>90 1742.4 lm 87.12 3000 K
Driver	CV - Constant Voltage [object Object] 100~240 V 50/60 HZ
Remarks	The glass is made of borosilicate. It is typical for the glass to have small air bubbles, some inclusions and tiny scratches. These do not affect the quality or the resistance of the glass.
	<input type="checkbox"/> <input checked="" type="checkbox"/> Dimmer <input checked="" type="checkbox"/> LED
	<input checked="" type="checkbox"/> IP20 <input checked="" type="checkbox"/> Bi-volt <input checked="" type="checkbox"/> Dry Location <input checked="" type="checkbox"/> 50-60Hz

Application	Hanging lamps
Packaging	1 Box 1.18 m x 0.35 m x 0.37 m Gross weight 8.2 Net weight 5 Vol. 0.1528

Lighting effect

General Lighting

Lamp for general lighting that equally distributes the light in all directions.



Photometric Data

Efficiency	1
Coordinate System	CG
Total Flux	905.64 lm
Maximum Value	195.12 cd/klm

Other Applications

