

TECHNICAL CHARACTERISTICS

ABOBXLTETL

Bob XL




Sled armchair

Because everyone finds comfort in different places, the Bob family adapts to every moment, every life, person and space available... to achieve this, an armchair with a skid-base version was born, made with a solid metallic rod that may be finished with epoxy or nickel. There is a wide selection of upholsteries available for the seat.

DESIGNED BY NADIA ARRATIBEL



ondarreta



DIMENSIONS

61 cm x 58 cm x 77 cm x 46 cm x 69 cm
(24" x 22,8" x 30,3" x 18,1" x 27,2")
[width x depth x height x seat height
x armrests height]

WEIGHT

8,3 kg (18,3 lb)

PACKAGING

Two chairs per box, box dimensions:
62,5 cm x 58 cm x 99,5 cm (24.6" x
22,8" x 39,2")

CERTIFICATION

Product tested under the European
standard EN 16139:2013, category of
general use L1.

ACCESORIES

Felt glides

Linking piece

ORIGIN

100% Made in Europe

DESIGN

Nadia Arratibel

ondarreta



COMPONENTS

FRAME

Material

12 mm (0.5") diameter cold laminated E-220 quality (EN-10305 Normative) steel rod.
Tensile Strength > 310 N/mm² (44,960 psi)
Elastic Limit > 220 N/mm² (31,900 psi); Elongation > 23%

Finish

Colour epoxy or nickel

SHELL

Fabrics

8 mm (0.31") thick Beech plywood board shell. Medium density polyether stuffing foam.

Technical characteristics:

Urea-formol glue: low formaldehyde emission (E1 European Normative)

The wood has the PEFC certificate.

Finish

Fabric.

METAL FINISHES

EPOXYS

Powder covering formulated with polyester resins, with good both mechanical and chemical properties, outdoor maximum resistance and noxious compounds free. Electrostatic application and oven cured at 200°C (392°F).

Technical characteristics:

Thickness (ISO 2360): between 60 and 90 µm.

Adherence (ISO 2409): Grade: 0 (maximum adherence)

NICKEL

Nickel finish, semi-bright effect. Protects surface from erosion and provides an impurities free surface, increasing the superficial resistance. Acid scrapping, with a 15µm nickel.

Technical characteristics:

Satisfying salt spray resistance test as ASTM B-117/73 normative

COM REQUIREMENTS

Full fabric: 160 cm (63")

