


0407










Design By Arik Levy

Wireflow designed by Arik Levy. A hanging lamp which reviews and updates the chandelier look through an exercise of simplification that explores its essence and enhances its outline with great delicacy and at the same time a strong formal presence. Its appearance, as a structure of fine cables finished with eight LED terminals, discretely connects with classic chandelier models, taking this type of lamp to a new, groundbreaking and futuristic dimension. Employing CREA product configurator software, the design can be modified to adapt to your specific project requirements.

Model Sheet



Optional : Extra cable length
Min. quantity, upcharge and extra lead time
apply [EN]


Finish	 04 Black RAL 9005
LED temperature color	2700 K / 3000 K
Dimming	Casambi / Push; 1-10V; DALI-2
Installation type	Surface Canopy
Materials	Ceiling rose: Steel Body: Aluminum Horizontal rods: Steel Ceiling rose: Steel
Light source	6 x LED 4,48W 350mA 
LED	CR>80 2942 lm 109 2700 K / 3000 K
Driver	Constant Current 350 110~240 V V 50~60 Hz HZ       

Application	Hanging lamps
Packaging	2 Box 0.6 m x 0.6 m x 0.27 m Gross weighth 9.6 Net weighth 8.64 Vol. 0.1558

Lighting effect

Highlight

Lamp used to highlight a specific element.



Photometric Data	
Efficiency	46.23%
Coordinate System	CG
Total Flux	2941.60
Maximum Value	320.26

